

Graph Theory — Old Exams

Exam — March 4th, 2003

- (12 points) Let d_1, \dots, d_n be positive integers, with $n \geq 2$. Prove that there exists a tree with vertex degrees d_1, \dots, d_n if and only if $\sum d_i = 2n - 2$.
- (12 points) Determine the maximum number of edges in a simple bipartite graph that contains no matching with 10 edges and no star with 8 edges.
- (12 points) (a) Determine the number of triangles in the line graph of Q_5 .
(b) Prove that the Petersen graph is non-planar.
- (12 points) Prim's Algorithm grows a spanning tree from a given vertex of a connected weighted graph G , iteratively adding the cheapest edge from a vertex already reached to a vertex not yet reached, finishing when all the vertices of G have been reached. (Ties are broken arbitrarily.) Prove that Prim's algorithm produces a minimum-weight spanning tree of G .
- (12 points) Prove that a tree T has a perfect matching if and only if $o(T - v) = 1$ for every $v \in V(T)$.
- (18 points) (a) Prove that no matter how you color the edges of a K_{10} with RED/BLUE, you will find either a completely RED K_3 or a completely BLUE K_4 . (Hint: You can apply the fact, that no matter how you color the edges of K_6 with RED/BLUE there will be a monochromatic triangle; We formulated and proved this statement in terms of acquaintances and non-acquaintances among six people.)
(b) Prove the same statement with K_9 instead of K_{10} ! (Hint: Look at more carefully how a counterexample would look like.)
(c) Show that the same statement is not true for K_8 .

Exam — March 2nd, 2004

- (Not covered in this year's 2006/07 course!)
Find a maximum flow from s to t in the network below. Give a short proof that your flow is optimal. (The numbers on edges represent the capacities.)
- Let d_1, \dots, d_n be positive integers, with $n \geq 2$. Prove that there exists a tree with vertex degrees d_1, \dots, d_n if and only if $\sum_{i=1}^n d_i = 2n - 2$.

3. Let G be a simple bipartite graph. Prove that the complement of the line graph of G is perfect. (A solution using the weak perfect graph theorem will receive only half of the credit.)

4. Let G be an $(r - 1)$ -edge-connected r -regular simple graph with even number of vertices, where r is a positive integer. Prove that G has a perfect matching.

5. Denote by \mathcal{G} the class of bipartite graphs with 161 edges and maximum degree 7. Determine the minimum of the maximum matching size within the class \mathcal{G} , namely, $\min_{G \in \mathcal{G}} \alpha'(G)$.

6. Prove the Four Color Theorem for triangle-free planar graphs.

Exam — March 1st, 2005

1. Let T and T' be two spanning trees of a connected graph G . For any $e \in E(T) \setminus E(T')$, prove that there exists an edge $e' \in E(T') \setminus E(T)$, such that both $T' + e - e'$ and $T - e + e'$ are spanning trees of G .

2. Let G be a 3-regular graph. Prove that G has a vertex two-coloring, such that each monochromatic component has at most two vertices.

3. Somebody distributed a deck of cards into 13 packs of 4 cards. Show that you can select one of each kind by selecting one from each pack. (A deck contains 52 cards. Each card has a “suit” and a “kind”. There are four suits: spades, heart, diamond, and clubs. There are 13 kinds: 2,3,4,5,6,7,8,9,10, J, Q, K, A.)

4. The Grötsch?? graph is created from C_5 by applying Myczielski's?? construction. Construct a graph for every n which has no subgraph isomorphic to the Grötsch graph and contains $\lfloor \frac{n^2}{3} \rfloor$ edges.

5. Let G be a simple planar graph with at least four vertices. Prove that G has at least four vertices whose degree is less than 6.

6. Let $G \neq K_2$ be a connected, regular bipartite graph. Show that G is 2-connected.

Exam — March 7th, 2006

1. Prove or disprove: Every 4-regular planar graph has a triangle.

2. Prove that $X_l(G) + X_l(\bar{G}) \leq n + 1$.

3. Let G be an r -connected graph of even order having no $K_{1,r+1}$ as an induced subgraph. Prove that G has a perfect matching.

4. Let $k \leq n - 1$. Prove that if $\delta(G) \geq \frac{n+k-2}{2}$, then $\kappa(G) \geq k$.

5. Let G be a simple bipartite graph. Prove that the complement of the line graph of G is perfect. (A solution using the weak perfect graph theorem will receive only half of the credit.)

6. Let C be a cycle in a connected weighted graph. Let e be an edge of maximum weight on C . Prove that there is a minimum-weight spanning tree not containing e .

Use this to prove that iteratively deleting a heaviest non-cut-edge until the remaining graph is acyclic produces a minimum-weight spanning tree.