

Index

- *this, 261
- \n (line break), 140
- 32-bit system, 13
- \0 (zero character), 140
- access
 - data member, 230
 - member function, 261
- access restrictions
 - private, 260
 - public, 260
- access specifier
 - private, 260
 - public, 260
- Ackermann function, 203
- addition assignment operator, 45
- addition operator, 41
- address
 - of a memory cell, 13
 - of a variable, 23
- address operator, 129
- adjustment
 - of array argument, 175
- algorithm
 - cache-oblivious, 15
- alternate denial, 64
- ANSIC
 - random number generator, 274
- antivalence, 64
- application program, 6
- argument-dependent lookup, 235
- Arithmetic Evaluation Rule 1, 38
- Arithmetic Evaluation Rule 2, 39
- Arithmetic Evaluation Rule 3, 39
- arithmetic expression, 25
- arithmetic operators, 41
- arithmetic type, 38
- arity, 26
- array, 124
 - as function argument, 175
 - dimension, 143
 - drawbacks, 154
 - element, 123
 - fixed length, 154
 - incomplete type, 125
 - index, 125
 - initialization, 125
 - initialization from string literal, 140
 - initializer list, 125
 - multidimensional, 143
 - simulation by onedimensional array, 144
 - not self-describing, 127
 - of pointers, 145
 - out-of-bound index, 126
 - pointer to, 144
 - random access, 125
 - security issues, 154
 - subscript, 125
 - subscript operator, 125
 - underlying type, 124
 - zero-terminated, 140
- array-to-pointer conversion, 131
- ASCII code, 139
- assertion, 167
- assignment

- member-wise, 232
- of a struct value, 231
- of reference, 241
- pointer, 129
- assignment operator, 27
- associative operation, 38
- associativity
 - left, 39
 - right, 39
- associativity of operator, 38
- attacker, 154
- automatic storage duration, 80
- base
 - of a floating point number system, 105
- BASIC
 - programming language, 174
- behavior
 - implementation defined, 20
 - undefined, 20
 - unspecified, 20
- binary expansion
 - of natural number, 48
 - of real number, 106
- binary operator, 26
- binary representation
 - of int value, 49
 - of unsigned int value , 49
- binary search, 220
- binary-to-decimal conversion, 49
- binomial coefficient, 219
- bit, 13
- bitwise operators, 65
- block, 76
- BODMAS, 38
- body
 - of do statement, 83
 - of for statement, 73
 - of function, 168
 - of while statement, 81
- bool, 61
- Boolean, 59
- Boolean Evaluation Rule, 62
- Boolean expression, 63
- Boolean function, 59
 - completeness, 60
- break statement, 84
- brute-force approach, 146
- bubble-sort, 207
- bug, 77
- built-in type, 23
- burst, 54
- C++ standard, 20
- cache, 15
- cache-oblivious algorithm, 15
- call arguments, 168
- call by reference, 242
- call by value, 242
- call stack, 198
- cancellation
 - in floating point computations, 114
- cast (functional notation), 103
- cast expression, 103
- central processing unit (CPU), 13
- char
 - literal, 139
 - promotion to (unsigned) int, 139
 - type, 139
- character, 139,
 - control, 140
 - line break, 140
- choosing numbers
 - game, 272
- Church, Alonzo (1903–1995), 91
- Church-Turing thesis, 91
- class
 - access specifier, 269
 - constructor, 263
 - definition, 268
 - implementation, 269
 - member declaration, 269
 - member function, 260
 - member function call, 262
 - member operator, 266
 - method, 262

- nested type, 267
- private member, 260
- public member, 260
- class scope, 269
- class type, 269
- Collatz problem, 81
- Collatz, Lothar (1910–1990), 92
- command line argument, 155
- comment, 21
- compilation, 12
 - separate, 178
- compiler, 12
- complexity
 - of a problem, 204
 - of an algorithm, 204
- composite expression, 25
- compound statement, 76
- computable function, 91
- computer
 - main memory, 13
 - memory cell, 13
 - processor, 13
 - von Neumann, 13
- condition
 - of a while statement, 81
 - of an if statement, 71
- conditional operator, 92
- Connect Four game, 222
- const
 - member function, 262
- Const Guideline, 252
- const-qualified type, 249
- const-reference, 250
- const-type, 249
 - initialization, 249, 250
- constant expression, 124
- constructor, 263
 - default, 264
 - explicit call, 264
 - initializer, 263
- container, 127
 - iteration, 127
- continue statement, 85
- control character, 140
- control flow, 71
 - iteration, 72
 - jump, 84
 - linear, 71
 - selection, 71
- control statement, 72
- control variable, 74
- conversion
 - array to pointer, 131
 - explicit, 103
 - floating point, 102
 - implicit, 47
 - integral, 47
 - promotion, 63
 - standard, 265
 - user-defined, 265
- CPU, 13
- Cramer's rule, 158
- data encapsulation, 259
- data member
 - access for, 230
 - of struct, 229
- De Morgan's laws, 63
- debugging output, 77
- decimal-to-binary conversion, 48
- declaration, 30
 - local, 77
 - of a class member, 269
 - of a function, 172
 - of a variable, 23
 - of friend, 276
 - struct, 230
- declaration statement, 30
- declarative region, 78
- default argument
 - of a function, 185
- default constructor, 264
- default initialization
 - struct, 232
- default-initialiation
 - by default constructor, 264

- definition
 - of a class, 268
 - of a function, 168
 - of a variable, 24
 - struct, 228
- delete expression, 138
- denormalized number, 117
- dereference operator, 129
- dereferencing, 129
- dimension
 - (multidimensional) array, 143
- directive
 - include, 21
 - using, 32
- discarding const, 250
- discriminant
 - of a quadratic equation, 114
- divide and conquer, 207
- division assignment operator, 45
- do statement, 83
 - body, 83
- domain
 - of a function, 166
- double, 100
- drand48
 - random number generator, 272
- dynamic memory allocation, 136
- dynamic programming, 146
- dynamic storage duration, 136
- Dynamic Storage Guideline, 139
- editor, 11
- effect
 - of a function, 22
 - of a statement, 29
 - of an expression, 25
- effect (semantical term), 23
- element
 - of array, 123
- encapsulation
 - of data, 259
- equality
 - pointer, 129
- Eratosthenes' Sieve, 123
- Euclidean algorithm, 199
- evaluation
 - of an expression, 25
 - order of operands, 27
 - short circuit, 64
- evaluation sequence, 40
- Excel 2007 bug, 107
- executable, 12
- execution, 29
- explicit conversion, 103
- exponent
 - of a floating point number, 105
- expression, 25
 - arithmetic, 25
 - Boolean, 63
 - cast, 103
 - composite, 25
 - constant, 124
 - delete, 138
 - effect of, 25
 - evaluation of, 25
 - evaluation sequence, 40
 - function call, 168
 - literal, 23
 - lvalue, 26
 - mixed, 47
 - new, 137
 - of type void, 169
 - order of effects, 54
 - primary, 25
 - rvalue, 26
 - type of, 25
 - value of, 25
 - variable, 23
- expression statement, 30
- expression tree, 40
- fair dice, 273
- false, 61
- Fibonacci numbers, 200
- file, 14
- finite floating point number system, 105

- fixed point number, 99
- float, 100
- Floating Point Arithmetic Guideline 1, 111
- Floating Point Arithmetic Guideline 2, 114
- floating point computations
 - cancellation, 114
 - different sizes, 114
 - equality test, 111
 - relative error, 109
- floating point conversions, 102
- floating point number
 - denormalized, 117
 - exponent, 105
 - infinity, 117
 - mantissa, 105
 - NaN, 117
 - normalized, 105
 - sign, 105
 - significand, 105
- floating point number system, 105
 - base, 105
 - largest exponent, 105
 - precision, 105
 - smallest exponent, 105
- floating point type, 99
- floor function, 103
- for statement, 73
 - body, 73
 - init-statement, 73
 - iteration, 74
 - termination, 74
- formal argument, 168
- fractal, 119, 214
- friend declaration, 276
- function
 - Ackermann, 203
 - body, 168
 - call, 168
 - call arguments, 168
 - call by reference, 242
 - call by value, 242
 - declaration, 172
 - default argument, 185
 - definition, 168
 - domain, 166
 - effect, 166
 - formal argument, 168
 - formal parameter of reference type, 242
 - main, 22
 - mutating, 177
 - overloading, 233
 - postcondition, 166
 - precondition, 166
 - recursive, 197
 - recursive call, 197
 - return by reference, 242
 - return by value, 242
 - return type, 168
 - return value of reference type, 242
 - scope, 172
 - scope of formal arguments, 170
 - signature, 186
 - value, 166
 - void, 169
- function call
 - qualified, 235
 - unqualified, 235
- function call operator, 271
- functional operator notation, 233
- functional programming language, 22
- functionality
 - of a struct, 230
 - of a type, 23
 - of an operator, 26
- fundamental type, 23
- game
 - choosing numbers, 272
- garbage collection, 138
- Gauss, Carl-Friedrich, 75
- global scope, 78
- global variable, 170
- goto statement, 93
- greatest common divisor, 199
- guideline
 - Dynamic Storage, 139

- halting problem, 75, 91
- harmonic number, 112
- header
 - file, 179
 - of the standard library, 22
 - iostream, 22
- heap, 136
- hexadecimal literal, 161
- hiding
 - of name, 79
- identifier, 24
- IEEE compliance, 116
- IEEE standard 754, 110
 - arithmetic operations, 111
 - double extended precision, 115
 - single extended precision, 115
 - value range, 110
- IEEE standard 854, 115
- if statement, 71
 - condition, 71
- if-else statement, 72
- implementation defined behavior, 20
- implicit conversion, 47
 - stream to bool, 142
- include directive, 21
 - variant with angle brackets, 181
 - variant with quotes, 178
- incomplete array type, 125
- incomplete type, 230
- indentation, 21
- index
 - of array element, 125
- indirection, 129
- infinite loop, 74
- infinite recursion, 198
- infix operator notation, 234
- initialization
 - by constructor, 264
 - by zero, 93
 - const-type, 249, 250
 - member-wise, 231
 - of a struct value, 231
 - of a variable, 30
 - of array, 125
 - of reference, 241
 - pointer, 129
- initializer
 - of constructor, 263
- initializer list
 - array, 125
- input operator, 28
- input stream, 28
- input/output efficiency, 16
- insert-sort, 207
- int, 38
- integer division, 43
- integer division operator, 43
- integral conversions, 47
- integral type, 50
- integrity
 - of representation, 258
- invariant
 - of a struct, 228
- iostream, 22
- ISO/IEC standard 14882, 20
- iteration, 72
 - over a container, 127
 - over an array, 127
- iteration statements, 72
 - equivalence of, 86
- iterator, 135, 176
- Josephus problem, 57
- jump statements, 84
- Knuth-Morris-Pratt algorithm, 141
- knuth8
 - random number generator, 270
- Koenig lookup, 235
- layout of program, 21
- left associativity, 39
- left-associative, 29
- library, 180
 - standard, 22
- Lindenmayer system, 211

- alphabet, 211
- fractal, 214
- graphical interpretation, 213
- initial word, 211
- productions, 211
- Lindenmayer, Aristide (1925–1985), 217
- line break character, 140
- linear congruential generator, 269
- linear congruential method, 269
- linear control flow, 71
- linker, 179
- Linux, 14
- literal, 23
 - bool, 61
 - char, 139
 - double, 101
 - float, 101
 - hexadecimal, 51, 161
 - int, 38
 - long double, 116
 - octal, 51
 - string, 139
 - unsigned int, 47
- loaded dice, 273
- local declaration, 77
- local scope, 78
- logical parentheses, 51
- logical operators, 62
- logical parentheses
 - leading operand, 51
 - secondary operand, 51
- long double, 116
- long int, 53
- lookup
 - argument-dependent, 235
- loop, 72
 - infinite, 74
 - progress towards termination, 74
- lvalue, 26
- lvalue-to-rvalue conversion, 26
- Mac OS, 14
- machine epsilon, 109
- machine language, 11, 14
- macro, 167
- main function, 22
- main memory, 13
- Mandelbrot set, 119
- mantissa
 - of a floating point number, 105
- mathematical induction, 200
- member access
 - in a struct, 230
- member access operator, 230
- member function, 260
 - access for, 261
 - call, 262
 - implicit call argument, 261
- member function
 - and const, 262
- member operator
 - of class, 266
- member specification
 - of a struct, 229
- member-wise assignment, 232
- member-wise initialization, 231
- memory cell, 13
 - address, 13
- memory leak, 139
- merge-sort, 207
 - complexity, 209
- Mersenne primes, 7
- method
 - of class, 262
- minimum-sort, 204
 - complexity, 205
- mixed expression, 47
- modularization, 177
- modulus assignment operator, 45
- modulus operator, 43
- multidimensional array, 143
 - dimension, 143
 - simulation by onedimensional array, 144
- multiplication assignment operator, 45
- multiplication operator, 27, 41
- mutating function, 177

- name
 - clash, 22
 - hiding, 79
 - of a class, 269
 - of a function, 168
 - of a type, 23
 - of a variable, 23
 - of formal argument, 168
 - qualified, 22
 - unqualified, 22
- namespace, 22
- namespace scope, 78
- nested type, 267
- new expression, 137
- normalized floating point number, 105
- null pointer, 130
- null pointer value, 130
- null statement, 29
- numeric limits
 - of floating point types, 116
 - of integral types, 45
- object, 24
 - unnamed, 24
- object code, 178
- open source software, 180
- operand, 26
 - evaluation order, 27
- operating system (OS), 14
 - Linux, 14
 - Mac OS, 14
 - Unix, 14
 - Windows, 14
- operator
 - addition, 41
 - addition assignment, 45
 - address, 129
 - arithmetic, 41
 - arithmetic assignment, 45
 - arity, 26
 - assignment, 27
 - associativity, 38
 - binary, 26
 - binding, 38
 - bitwise, 65
 - conditional, 92
 - dereference, 129
 - division assignment, 45
 - function call, 271
 - functional notation, 233
 - functionality, 26
 - infix notation, 234
 - input, 28
 - integer division, 43
 - left-associative, 29
 - logical, 62
 - modulus, 43
 - modulus assignment, 45
 - multiplication, 27, 41
 - multiplication assignment, 45
 - operand, 26
 - output, 28
 - overloading, 233
 - post-decrement, 44
 - post-increment, 44
 - pre-decrement, 44
 - pre-increment, 44
 - precedence, 38
 - relational, 62
 - return value, 26
 - subscript, 125, 134
 - subtraction, 41
 - subtraction assignment, 45
 - ternary, 92
 - unary, 26
 - unary minus, 44
 - unary plus, 44
- operator token, 27
 - overloaded, 39
- order of effects, 54
- OS, 14
- out-of-bound array index, 126
- output operator, 28
- output stream, 28
- overflow
 - of value range, 46

- overloading
 - argument-dependent lookup, 235
 - best match, 235
 - of functions, 233
 - of operators, 233
- overloading resolution, 234
- parallel computer, 16
- past-the-end pointer, 132
- PEMDAS, 38
- permutation, 158
- perpetual calendar, 192
- pipe, 69
- platform, 14
- point of declaration, 78, 91
- pointer, 128
 - adding an integer, 132
 - arithmetic, 132
 - assignment, 129
 - comparison, 133
 - equality, 129
 - initialization, 129
 - null, 130
 - null value, 130
 - past-the-end, 132
 - subscript operator, 134
 - subtraction, 134
 - to array, 144
 - type, 128
- pointer type
 - underlying type, 128
- porting, 12
- post-decrement operator, 44
- post-increment operator, 44
- postcondition
 - of a function, 166
- potential scope, 78
- pre-decrement operator, 44
- pre-increment operator, 44
- precedence of operator, 38
- precision
 - of a floating point number system, 105
- precondition
 - of a function, 166
- predicate, 167
- primary expression, 25
- primitive recursion, 202
- private
 - class member, 260
- private:, 260
- procedural programming, 174
- processor, 13
- production
 - of a Lindenmayer system, 211
- program
 - layout, 21
 - valid, 19
- program state, 13
- programming language, 6
 - functional, 22
- promotion, 63
 - bool to int, 63
 - char to (unsigned) int, 139
 - float to double, 103
- pseudorandom numbers, 269
- public
 - class member, 260
- public:, 260
- qualified function call, 235
- qualified name, 22
- quantum computer, 16
- RAM, 13
- random access
 - in array, 125
- random access memory (RAM), 13
- random number, 269
- random number generator, 269
 - ANSIC, 274
 - drand48, 272
 - knuth8, 270
- range
 - of pointers, 176
- rational numbers, 226
- recursion

- infinite, 198
 - primitive, 202
 - tail-end, 201
- recursive call, 197
- recursive function, 197
 - correctness, 200
 - termination, 200
- refactoring, 88
- reference, 241
 - assignment, 241
 - initialization, 241
- Reference Guideline, 243
- reference type, 241
- relational operators, 62
- relative error
 - in floating point computations, 109
- reserved name, 24
- return by reference, 242
- return by value, 242
- return statement, 30, 93
- return type, 168
- return value, 26
- Reverse Polish Notation, 68
- right associativity, 39
- runtime error, 167
- rvalue, 26
- Sarrus' rule, 158
- scope
 - global, 78
 - local, 78
 - namespace, 78
 - of a declaration, 78
 - of a function declaration, 172
- segmentation fault, 131
- selection, 71
- selection statements, 72
- self-describing, 127
- semantical value range
 - of a struct, 232
- semantics, 19
- sentinel, 147
- separate compilation, 178
- sequence point, 54
- Sheffer stroke, 64
- Sheffer, Henry M. (1883–1964), 64
- short circuit evaluation, 64
- short int, 53
- shortest path problem, 146
- side effect, 25
- Sieve of Eratosthenes, 123
- sign
 - of a floating point number, 105
- signature of a function, 186
- signed char, 53
- significand
 - of a floating point number, 105
- Single Modification Rule, 55
- sourcecode, 12
 - availability, 180
- spaghetti code, 174
- special character, 139
- standard conversion, 265
- standard error, 28
- standard input, 27
- standard library, 22
 - mathematical functions, 186
 - std::cerr, 28
 - std::cin, 28
 - std::cout, 28
 - std::fill, 185
 - std::pow, 183
 - std::sqrt, 183
- standard output, 28
- statement, 29
 - break, 84
 - compound, 76
 - continue, 85
 - control, 72
 - declaration, 30
 - do, 83
 - execution, 29
 - expression, 30
 - for, 73
 - goto, 93
 - if, 71

- if-else, 72
- iteration, 72
- jump, 84
- null, 29
- return, 30, 93
- selection, 72
- switch, 90
- while, 81
- static storage duration, 80
- static variable, 81, 93
- std::cerr, 28
- std::cin, 28
- std::cout, 28
- std::sqrt, 183
- storage duration, 80
 - automatic, 80
 - dynamic, 136
 - static, 80
- string literal, 139
- string matching, 140
 - Knuth-Morris-Pratt algorithm, 141
 - obvious algorithm, 141
- struct, 227
 - assignment, 231
 - data member, 229
 - declaration, 230
 - default initialization, 232
 - definition, 228
 - functionality, 230
 - initialization, 231
 - member access, 230
 - member specification, 229
 - underlying type, 229
 - value range, 229
 - semantical, 232
 - syntactical, 232
- subscript
 - of array element, 125
- subscript operator
 - array, 125
 - pointer, 134
- subtraction assignment operator, 45
- subtraction operator, 41
- Sudoku, 193
- swapping
 - of memory, 15
- switch statement, 90
- syntactical value range
 - of a struct, 232
- syntax, 19
- syntax error, 19
- tail-end recursion, 201
- temporary object, 242
 - reference to, 243
- ternary operator, 92
- topological sorting, 40
- Towers of Hanoi, 222
- true, 61
- Turing machine, 91
- Turing, Alan (1912–1954), 91
- turtle graphics, 212
- two's complement, 50
- type, 23
 - arithmetic, 38
 - bool, 61
 - built-in, 23
 - char, 139
 - class, 269
 - const, 249
 - const-qualified, 249
 - double, 100
 - float, 100
 - floating point, 99
 - functionality of, 23
 - fundamental, 23
 - incomplete, 230
 - incomplete array, 125
 - int, 38
 - integral, 50
 - long double, 116
 - long int, 53
 - name of, 23
 - of a variable, 23
 - of an expression, 25
 - of formal argument, 168

- pointer, 128
- reference, 241
- short int, 53
- signed char, 53
- underlying a struct, 229
- underlying an array, 124
- unsigned char, 53
- unsigned int, 46
- unsigned long int, 53
- unsigned short int, 53
- value range of, 23
- void, 169
- typedef, 268

- unary minus operator, 44
- unary operator, 26
- unary plus operator, 44
- undecidable problem, 91
- undefined behavior, 20
- underflow
 - of value range, 46
- underlying type
 - of a pointer type, 128
- Unix, 14
- unnamed object, 24
- unqualified function call, 235
- unqualified name, 22
- unsigned char, 53
- unsigned int, 46
- unsigned long int, 53
- unsigned short int, 53
- unspecified behavior, 20
- user-defined conversion, 265
- using directive, 32

- valid program, 19
- value
 - of a variable, 23
 - of an expression, 25
- value (semantical term), 23
- value range
 - of a struct, 229
 - of a type, 23
 - of type bool, 61
 - of type double, 110
 - of type float, 110
 - of type int, 45
 - of type unsigned int, 47
 - overflow, 46
 - semantical, 232
 - syntactical, 232
 - underflow, 46
- variable, 23
 - address of, 23
 - control, 74
 - global, 170
 - name of, 23
 - static, 81, 93
 - type of, 23
 - value of, 23
- variable declaration, 23
- variable definition, 24
- visibility
 - of name, 78
- void, 169
- void function, 169
- von Neumann computer, 13

- while statement, 81
 - body, 81
- whitespace, 142
- Windows, 14

- XBM graphics format, 161

- zero-initialization, 93
- zero-terminated array, 140

