

Index

- *this, 261
- \n (line break), 140
- 32-bit system, 13
- \0 (zero character), 140
- access
 - data member, 230
 - member function, 261
- access restrictions
 - private, 260
 - public, 260
- access specifier
 - private, 260
 - public, 260
- Ackermann function, 203
- addition assignment operator, 45
- addition operator, 41
- address
 - of a memory cell, 13
 - of a variable, 23
- address operator, 129
- adjustment
 - of array argument, 175
- algorithm
 - cache-oblivious, 15
- alternate denial, 64
- ANSIC
 - random number generator, 274
- antivalence, 64
- application program, 6
- argument-dependent lookup, 235
- Arithmetic Evaluation Rule 1, 38
- Arithmetic Evaluation Rule 2, 39

- Arithmetic Evaluation Rule 3, 39
- arithmetic expression, 25
- arithmetic operators, 41
- arithmetic type, 38
- arity, 26
- array, 124
 - as function argument, 175
 - dimension, 143
 - drawbacks, 154
 - element, 123
 - fixed length, 154
 - incomplete type, 125
 - index, 125
 - initialization, 125
 - initialization from string literal, 140
 - initializer list, 125
 - multidimensional, 143
 - simulation by onedimensional array, 144
 - not self-describing, 127
 - of pointers, 145
 - out-of-bound index, 126
 - pointer to, 144
 - random access, 125
 - security issues, 154
 - subscript, 125
 - subscript operator, 125
 - underlying type, 124
 - zero-terminated, 140
- array-to-pointer conversion, 131
- ASCII code, 139
- assertion, 167
- assignment

INDEX

- member-wise, 232
- of a struct value, 231
- of reference, 241
- pointer, 129
- assignment operator, 27
- associative operation, 38
- associativity
 - left, 39
 - right, 39
- associativity of operator, 38
- attacker, 154
- automatic storage duration, 80
- base
 - of a floating point number system, 105
- BASIC
 - programming language, 174
- behavior
 - implementation defined, 20
 - undefined, 20
 - unspecified, 20
- binary expansion
 - of natural number, 48
 - of real number, 106
- binary operator, 26
- binary representation
 - of int value, 49
 - of unsigned int value , 49
- binary search, 220
- binary-to-decimal conversion, 49
- binomial coefficient, 219
- bit, 13
- bitwise operators, 65
- block, 76
- BODMAS, 38
- body
 - of do statement, 83
 - of for statement, 73
 - of function, 168
 - of while statement, 81
- bool, 61
- Boolean, 59
- Boolean Evaluation Rule, 62
- Boolean expression, 63
- Boolean function, 59
 - completeness, 60
- break statement, 84
- brute-force approach, 146
- bubble-sort, 207
- bug, 77
- built-in type, 23
- burst, 54
- C++ standard, 20
- cache, 15
- cache-oblivious algorithm, 15
- call arguments, 168
- call by reference, 242
- call by value, 242
- call stack, 198
- cancellation
 - in floating point computations, 114
- cast (functional notation), 103
- cast expression, 103
- central processing unit (CPU), 13
- char
 - literal, 139
 - promotion to (unsigned) int, 139
 - type, 139
- character, 139,
 - control, 140
 - line break, 140
- choosing numbers
 - game, 272
- Church, Alonzo (1903–1995), 91
- Church-Turing thesis, 91
- class
 - access specifier, 269
 - constructor, 263
 - definition, 268
 - implementation, 269
 - member declaration, 269
 - member function, 260
 - member function call, 262
 - member operator, 266
 - method, 262

- nested type, 267
 - private member, 260
 - public member, 260
- class scope, 269
- class type, 269
- Collatz problem, 81
- Collatz, Lothar (1910–1990), 92
- command line argument, 155
- comment, 21
- compilation, 12
 - separate, 178
- compiler, 12
- complexity
 - of a problem, 204
 - of an algorithm, 204
- composite expression, 25
- compound statement, 76
- computable function, 91
- computer
 - main memory, 13
 - memory cell, 13
 - processor, 13
 - von Neumann, 13
- condition
 - of a while statement, 81
 - of an if statement, 71
- conditional operator, 92
- Connect Four game, 222
- const
 - member function, 262
- Const Guideline, 252
- const-qualified type, 249
- const-reference, 250
- const-type, 249
 - initialization, 249, 250
- constant expression, 124
- constructor, 263
 - default, 264
 - explicit call, 264
 - initializer, 263
- container, 127
 - iteration, 127
- continue statement, 85

- control character, 140
- control flow, 71
 - iteration, 72
 - jump, 84
 - linear, 71
 - selection, 71
- control statement, 72
- control variable, 74
- conversion
 - array to pointer, 131
 - explicit, 103
 - floating point, 102
 - implicit, 47
 - integral, 47
 - promotion, 63
 - standard, 265
 - user-defined, 265
- CPU, 13
- Cramer's rule, 158
- data encapsulation, 259
- data member
 - access for, 230
 - of struct, 229
- De Morgan's laws, 63
- debugging output, 77
- decimal-to-binary conversion, 48
- declaration, 30
 - local, 77
 - of a class member, 269
 - of a function, 172
 - of a variable, 23
 - of friend, 276
 - struct, 230
- declaration statement, 30
- declarative region, 78
- default argument
 - of a function, 185
- default constructor, 264
- default initialization
 - struct, 232
- default-initialiation
 - by default constructor, 264

- definition
 - of a class, 268
 - of a function, 168
 - of a variable, 24
 - struct, 228
- delete expression, 138
- denormalized number, 117
- dereference operator, 129
- dereferencing, 129
- dimension
 - (multidimensional) array, 143
- directive
 - include, 21
 - using, 32
- discarding const, 250
- discriminant
 - of a quadratic equation, 114
- divide and conquer, 207
- division assignment operator, 45
- do statement, 83
 - body, 83
- domain
 - of a function, 166
- double, 100
- drand48
 - random number generator, 272
- dynamic memory allocation, 136
- dynamic programming, 146
- dynamic storage duration, 136
- Dynamic Storage Guideline, 139
- editor, 11
- effect
 - of a function, 22
 - of a statement, 29
 - of an expression, 25
- effect (semantical term), 23
- element
 - of array, 123
- encapsulation
 - of data, 259
- equality
 - pointer, 129

- Eratosthenes' Sieve, 123
- Euclidean algorithm, 199
- evaluation
 - of an expression, 25
 - order of operands, 27
 - short circuit, 64
- evaluation sequence, 40
- Excel 2007 bug, 107
- executable, 12
- execution, 29
- explicit conversion, 103
- exponent
 - of a floating point number, 105
- expression, 25
 - arithmetic, 25
 - Boolean, 63
 - cast, 103
 - composite, 25
 - constant, 124
 - delete, 138
 - effect of, 25
 - evaluation of, 25
 - evaluation sequence, 40
 - function call, 168
 - literal, 23
 - lvalue, 26
 - mixed, 47
 - new, 137
 - of type void, 169
 - order of effects, 54
 - primary, 25
 - rvalue, 26
 - type of, 25
 - value of, 25
 - variable, 23
- expression statement, 30
- expression tree, 40
- fair dice, 273
- false, 61
- Fibonacci numbers, 200
- file, 14
- finite floating point number system, 105

- fixed point number, 99
- float, 100
- Floating Point Arithmetic Guideline 1, 111
- Floating Point Arithmetic Guideline 2, 114
- floating point computations
 - cancellation, 114
 - different sizes, 114
 - equality test, 111
 - relative error, 109
- floating point conversions, 102
- floating point number
 - denormalized, 117
 - exponent, 105
 - infinity, 117
 - mantissa, 105
 - NaN, 117
 - normalized, 105
 - sign, 105
 - significand, 105
- floating point number system, 105
 - base, 105
 - largest exponent, 105
 - precision, 105
 - smallest exponent, 105
- floating point type, 99
- floor function, 103
- for statement, 73
 - body, 73
 - init-statement, 73
 - iteration, 74
 - termination, 74
- formal argument, 168
- fractal, 119, 214
- friend declaration, 276
- function
 - Ackermann, 203
 - body, 168
 - call, 168
 - call arguments, 168
 - call by reference, 242
 - call by value, 242
 - declaration, 172
 - default argument, 185
 - definition, 168
 - domain, 166
 - effect, 166
 - formal argument, 168
 - formal parameter of reference type, 242
 - main, 22
 - mutating, 177
 - overloading, 233
 - postcondition, 166
 - precondition, 166
 - recursive, 197
 - recursive call, 197
 - return by reference, 242
 - return by value, 242
 - return type, 168
 - return value of reference type, 242
 - scope, 172
 - scope of formal arguments, 170
 - signature, 186
 - value, 166
 - void, 169
- function call
 - qualified, 235
 - unqualified, 235
- function call operator, 271
- functional operator notation, 233
- functional programming language, 22
- functionality
 - of a struct, 230
 - of a type, 23
 - of an operator, 26
- fundamental type, 23
- game
 - choosing numbers, 272
- garbage collection, 138
- Gauss, Carl-Friedrich, 75
- global scope, 78
- global variable, 170
- goto statement, 93
- greatest common divisor, 199
- guideline
 - Dynamic Storage, 139

- halting problem, 75, 91
- harmonic number, 112
- header
 - file, 179
 - of the standard library, 22
 - iostream, 22
- heap, 136
- hexadecimal literal, 161
- hiding
 - of name, 79
- identifier, 24
- IEEE compliance, 116
- IEEE standard 754, 110
 - arithmetic operations, 111
 - double extended precision, 115
 - single extended precision, 115
 - value range, 110
- IEEE standard 854, 115
- if statement, 71
 - condition, 71
- if-else statement, 72
- implementation defined behavior, 20
- implicit conversion, 47
 - stream to bool, 142
- include directive, 21
 - variant with angle brackets, 181
 - variant with quotes, 178
- incomplete array type, 125
- incomplete type, 230
- indentation, 21
- index
 - of array element, 125
- indirection, 129
- infinite loop, 74
- infinite recursion, 198
- infix operator notation, 234
- initialization
 - by constructor, 264
 - by zero, 93
 - const-type, 249, 250
 - member-wise, 231
 - of a struct value, 231
 - of a variable, 30
 - of array, 125
 - of reference, 241
 - pointer, 129
- initializer
 - of constructor, 263
- initializer list
 - array, 125
- input operator, 28
- input stream, 28
- input/output efficiency, 16
- insert-sort, 207
- int, 38
- integer division, 43
- integer division operator, 43
- integral conversions, 47
- integral type, 50
- integrity
 - of representation, 258
- invariant
 - of a struct, 228
- iostream, 22
- ISO/IEC standard 14882, 20
- iteration, 72
 - over a container, 127
 - over an array, 127
- iteration statements, 72
 - equivalence of, 86
- iterator, 135, 176
- Josephus problem, 57
- jump statements, 84
- Knuth-Morris-Pratt algorithm, 141
- knuth8
 - random number generator, 270
- Koenig lookup, 235
- layout of program, 21
- left associativity, 39
- left-associative, 29
- library, 180
 - standard, 22
- Lindenmayer system, 211

- alphabet, 211
- fractal, 214
- graphical interpretation, 213
- initial word, 211
- productions, 211
- Lindenmayer, Aristide (1925–1985), 217
- line break character, 140
- linear congruential generator, 269
- linear congruential method, 269
- linear control flow, 71
- linker, 179
- Linux, 14
- literal, 23
 - bool, 61
 - char, 139
 - double, 101
 - float, 101
 - hexadecimal, 51, 161
 - int, 38
 - long double, 116
 - octal, 51
 - string, 139
 - unsigned int, 47
- loaded dice, 273
- local declaration, 77
- local scope, 78
- logical parentheses, 51
- logical operators, 62
- logical parentheses
 - leading operand, 51
 - secondary operand, 51
- long double, 116
- long int, 53
- lookup
 - argument-dependent, 235
- loop, 72
 - infinite, 74
 - progress towards termination, 74
- lvalue, 26
- lvalue-to-rvalue conversion, 26
- Mac OS, 14
- machine epsilon, 109
- machine language, 11, 14
- macro, 167
- main function, 22
- main memory, 13
- Mandelbrot set, 119
- mantissa
 - of a floating point number, 105
- mathematical induction, 200
- member access
 - in a struct, 230
- member access operator, 230
- member function, 260
 - access for, 261
 - call, 262
 - implicit call argument, 261
- member function
 - and const, 262
- member operator
 - of class, 266
- member specification
 - of a struct, 229
- member-wise assignment, 232
- member-wise initialization, 231
- memory cell, 13
 - address, 13
- memory leak, 139
- merge-sort, 207
 - complexity, 209
- Mersenne primes, 7
- method
 - of class, 262
- minimum-sort, 204
 - complexity, 205
- mixed expression, 47
- modularization, 177
- modulus assignment operator, 45
- modulus operator, 43
- multidimensional array, 143
 - dimension, 143
 - simulation by onedimensional array, 144
- multiplication assignment operator, 45
- multiplication operator, 27, 41
- mutating function, 177

- name
 - clash, 22
 - hiding, 79
 - of a class, 269
 - of a function, 168
 - of a type, 23
 - of a variable, 23
 - of formal argument, 168
 - qualified, 22
 - unqualified, 22
- namespace, 22
- namespace scope, 78
- nested type, 267
- new expression, 137
- normalized floating point number, 105
- null pointer, 130
- null pointer value, 130
- null statement, 29
- numeric limits
 - of floating point types, 116
 - of integral types, 45
- object, 24
 - unnamed, 24
- object code, 178
- open source software, 180
- operand, 26
 - evaluation order, 27
- operating system (OS), 14
 - Linux, 14
 - Mac OS, 14
 - Unix, 14
 - Windows, 14
- operator
 - addition, 41
 - addition assignment, 45
 - address, 129
 - arithmetic, 41
 - arithmetic assignment, 45
 - arity, 26
 - assignment, 27
 - associativity, 38
 - binary, 26
 - binding, 38
 - bitwise, 65
 - conditional, 92
 - dereference, 129
 - division assignment, 45
 - function call, 271
 - functional notation, 233
 - functionality, 26
 - infix notation, 234
 - input, 28
 - integer division, 43
 - left-associative, 29
 - logical, 62
 - modulus, 43
 - modulus assignment, 45
 - multiplication, 27, 41
 - multiplication assignment, 45
 - operand, 26
 - output, 28
 - overloading, 233
 - post-decrement, 44
 - post-increment, 44
 - pre-decrement, 44
 - pre-increment, 44
 - precedence, 38
 - relational, 62
 - return value, 26
 - subscript, 125, 134
 - subtraction, 41
 - subtraction assignment, 45
 - ternary, 92
 - unary, 26
 - unary minus, 44
 - unary plus, 44
- operator token, 27
 - overloaded, 39
- order of effects, 54
- OS, 14
- out-of-bound array index, 45
- output operator, 28
- output stream, 28
- overflow
 - of value range, 46

overloading
 argument-dependent lookup, 235
 best match, 235
 of functions, 233
 of operators, 233
 overloading resolution, 234

parallel computer, 16
 past-the-end pointer, 132
 PEMDAS, 38
 permutation, 158
 perpetual calendar, 192
 pipe, 69
 platform, 14
 point of declaration, 78, 91
 pointer, 128
 adding an integer, 132
 arithmetic, 132
 assignment, 129
 comparison, 133
 equality, 129
 initialization, 129
 null, 130
 null value, 130
 past-the-end, 132
 subscript operator, 134
 subtraction, 134
 to array, 144
 type, 128
 pointer type
 underlying type, 128
 porting, 12
 post-decrement operator, 44
 post-increment operator, 44
 postcondition
 of a function, 166
 potential scope, 78
 pre-decrement operator, 44
 pre-increment operator, 44
 precedence of operator, 38
 precision
 of a floating point number system, 105
 precondition

of a function, 166
 predicate, 167
 primary expression, 25
 primitive recursion, 202
 private
 class member, 260
 private:, 260
 procedural programming, 174
 processor, 13
 production
 of a Lindenmayer system, 211
 program
 layout, 21
 valid, 19
 program state, 13
 programming language, 6
 functional, 22
 promotion, 63
 bool to int, 63
 char to (unsigned) int, 139
 float to double, 103
 pseudorandom numbers, 269
 public
 class member, 260
 public:, 260

qualified function call, 235
 qualified name, 22
 quantum computer, 16

RAM, 13
 random access
 in array, 125
 random access memory (RAM), 13
 random number, 269
 random number generator, 269
 ANSIC, 274
 drand48, 272
 knuth8, 270
 range
 of pointers, 176
 rational numbers, 226
 recursion

infinite, 198
 primitive, 202
 tail-end, 201
 recursive call, 197
 recursive function, 197
 correctness, 200
 termination, 200
 refactoring, 88
 reference, 241
 assignment, 241
 initialization, 241
 Reference Guideline, 243
 reference type, 241
 relational operators, 62
 relative error
 in floating point computations, 109
 reserved name, 24
 return by reference, 242
 return by value, 242
 return statement, 30, 93
 return type, 168
 return value, 26
 Reverse Polish Notation, 68
 right associativity, 39
 runtime error, 167
 rvalue, 26

Sarrus' rule, 158
 scope
 global, 78
 local, 78
 namespace, 78
 of a declaration, 78
 of a function declaration, 172
 segmentation fault, 131
 selection, 71
 selection statements, 72
 self-describing, 127
 semantical value range
 of a struct, 232
 semantics, 19
 sentinel, 147
 separate compilation, 178

sequence point, 54
 Sheffer stroke, 64
 Sheffer, Henry M. (1883–1964), 64
 short circuit evaluation, 64
 short int, 53
 shortest path problem, 146
 side effect, 25
 Sieve of Eratosthenes, 123
 sign
 of a floating point number, 105
 signature of a function, 186
 signed char, 53
 significand
 of a floating point number, 105
 Single Modification Rule, 55
 sourcecode, 12
 availability, 180
 spaghetti code, 174
 special character, 139
 standard conversion, 265
 standard error, 28
 standard input, 27
 standard library, 22
 mathematical functions, 186
 std::cerr, 28
 std::cin, 28
 std::cout, 28
 std::fill, 185
 std::pow, 183
 std::sqrt, 183
 standard output, 28
 statement, 29
 break, 84
 compound, 76
 continue, 85
 control, 72
 declaration, 30
 do, 83
 execution, 29
 expression, 30
 for, 73
 goto, 93
 if, 71

- if-else, 72
- iteration, 72
- jump, 84
- null, 29
- return, 30, 93
- selection, 72
- switch, 90
- while, 81
- static storage duration, 80
- static variable, 81, 93
- std::cerr, 28
- std::cin, 28
- std::cout, 28
- std::sqrt, 183
- storage duration, 80
 - automatic, 80
 - dynamic, 136
 - static, 80
- string literal, 139
- string matching, 140
 - Knuth-Morris-Pratt algorithm, 141
 - obvious algorithm, 141
- struct, 227
 - assignment, 231
 - data member, 229
 - declaration, 230
 - default initialization, 232
 - definition, 228
 - functionality, 230
 - initialization, 231
 - member access, 230
 - member specification, 229
 - underlying type, 229
 - value range, 229
 - semantical, 232
 - syntactical, 232
- subscript
 - of array element, 125
- subscript operator
 - array, 125
 - pointer, 134
- subtraction assignment operator, 45
- subtraction operator, 41

- Sudoku, 193
- swapping
 - of memory, 15
- switch statement, 90
- syntactical value range
 - of a struct, 232
- syntax, 19
- syntax error, 19
- tail-end recursion, 201
- temporary object, 242
 - reference to, 243
- ternary operator, 92
- topological sorting, 40
- Towers of Hanoi, 222
- true, 61
- Turing machine, 91
- Turing, Alan (1912–1954), 91
- turtle graphics, 212
- two's complement, 50
- type, 23
 - arithmetic, 38
 - bool, 61
 - built-in, 23
 - char, 139
 - class, 269
 - const, 249
 - const-qualified, 249
 - double, 100
 - float, 100
 - floating point, 99
 - functionality of, 23
 - fundamental, 23
 - incomplete, 230
 - incomplete array, 125
 - int, 38
 - integral, 50
 - long double, 116
 - long int, 53
 - name of, 23
 - of a variable, 23
 - of an expression, 25
 - of formal argument, 168

- pointer, 128
- reference, 241
- short int, 53
- signed char, 53
- underlying a struct, 229
- underlying an array, 124
- unsigned char, 53
- unsigned int, 46
- unsigned long int, 53
- unsigned short int, 53
- value range of, 23
- void, 169
- typedef, 268
- unary minus operator, 44
- unary operator, 26
- unary plus operator, 44
- undecidable problem, 91
- undefined behavior, 20
- underflow
 - of value range, 46
- underlying type
 - of a pointer type, 128
- Unix, 14
- unnamed object, 24
- unqualified function call, 235
- unqualified name, 22
- unsigned char, 53
- unsigned int, 46
- unsigned long int, 53
- unsigned short int, 53
- unspecified behavior, 20
- user-defined conversion, 265
- using directive, 32
- valid program, 19
- value
 - of a variable, 23
 - of an expression, 25
- value (semantical term), 23
- value range
 - of a struct, 229
 - of a type, 23

- of type bool, 61
- of type double, 110
- of type float, 110
- of type int, 45
- of type unsigned int, 47
- overflow, 46
- semantical, 232
- syntactical, 232
- underflow, 46
- variable, 23
 - address of, 23
 - control, 74
 - global, 170
 - name of, 23
 - static, 81, 93
 - type of, 23
 - value of, 23
- variable declaration, 23
- variable definition, 24
- visibility
 - of name, 78
- void, 169
- void function, 169
- von Neumann computer, 13
- while statement, 81
 - body, 81
- whitespace, 142
- Windows, 14
- XBM graphics format, 161
- zero-initialization, 93
- zero-terminated array, 140

